AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in this application.

Listing of Claims:

Claims 1-38 (Cancelled)

Claim 39 (Previously presented): A compound having the Formula:

or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of halo, haloalkyl, hydroxy, hydroxyalkyl, amino, aminoalkyl, cyano, O-R⁶, NH-R⁶, and S-R⁶, wherein R⁶ is alkyl or haloalkyl;

B is a C3-C7 cycloalkyl or a C4-C6 saturated heterocyclyl, wherein (a) each ring carbon is optionally substituted with R³³, (b) a ring carbon, other than the ring carbon at the point of attachment, is optionally substituted with oxo provided that no more than one ring carbon is substituted by oxo at the same time, (c) a ring carbon or nitrogen in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (d) a ring carbon or nitrogen in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (e) a ring carbon or nitrogen, if present, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R⁹, is optionally substituted by R¹⁰, (f) a ring carbon or nitrogen, if present, in a second beta position relative to the ring carbon at the point of attachment and in an alpha

position relative to the ring atom optionally substituted by R¹³, is optionally substituted by R¹², (g) a ring carbon or nitrogen, if present, in a first gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹⁰, is optionally substituted by R¹¹, and (h) a ring carbon or nitrogen, if present, in a second gamma position relative to the carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹², is optionally substituted by R³³;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, guanidino, alkylamino, alkylthio, alkylsulfonamido, alkylsulfinyl, alkylsulfonyl, amidosulfonyl, alkyl, alkoxy, halo, haloalkyl, haloalkoxy, hydroxylakyl, hydroxyhaloalkyl, carboxy, carboxamido, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkyl, aryl, aralkyl, cycloalkyl, cycloalkyl, cycloalkylalkoxy, heteroaryl, heterocyclyl, alkoxy, cycloalkoxy, cycloalkylalkoxy, aralkoxy, aryloxy, heteroaryloxy, heteroaralkoxy, heterocyclyloxy, heterocyclylalkoxy, hydroxy, amino, alkoxyamino, alkylamino, arylamino, aralkylamino, heteroarylamino, heteroarylamino, heteroaralkylamino, heterocyclylalkylamino, alkylsulfonamido, amidosulfonyl, arylsulfinyl, aralkylsulfinyl, cycloalkylsulfinyl, heteroarylsulfinyl, arylsulfonyl, cycloalkylsulfonyl, heteroarylsulfonyl, hydroxyalkyl, hydroxyhaloalkyl, aminoalkyl, carboalkoxy, carboxy, carboxyalkyl, carboxamido, halo, haloalkyl, and cyano;

R³³-and R³⁴-are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkoxy, hydroxy, amino, alkoxyamino, alkylamino, alkylthio, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, hydroxyhaloalkyl, carboalkoxy, carboxy, carboxamido, and cyano;

A is a bond, CH_2 , CH_2CH_2 , or CH_2CH_2 or $CH(R^{15}))_{pa}$ ($CH(R^{15}))_{pa}$ wherein rr is 0 or 1, pa is an integer selected from 0 through 3; and W^7 is $(R^7)NC(O)$ or $N(R^7)$;

R⁷ is selected from the group consisting of hydrido, hydroxy and alkyl;

R¹⁵-is selected from the group consisting of hydrido, halo, alkyl, and haloalkyl;

R¹ and X° are independently selected from the group consisting of hydrido, hydroxy, hydroxyamino, amino, cyano, hydroxyalkyl, alkoxy, alkyl, alkylamino, aminoalkyl, alkylthio, alkoxyamino, haloalkyl, haloalkoxy, and halo;

 R^2 is Z^0 -Q;

 Z^0 is selected from the group consisting of a bond, CH_2 , CH_2CH_2 , W^0 - $(CH(R^{42}))_p$ wherein p is 0 or 1 and W^0 is selected from the group consisting of O, S, and $N(R^{41})$:

R⁴¹ and R⁴² are independently hydrido or alkyl;

Q is phenyl or a heteroaryl of 5 or 6 ring members, wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, if present, in the gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to each of the ring atoms optionally substituted by R¹⁰ and R¹², respectively, is optionally substituted by R¹¹;

Y⁰ is the formula

wherein J⁵, J⁶, D⁵, D⁶ <u>are carbon atoms, wherein</u> and the ring carbon atoms to which they are attached define a phenyl or 5- or 6-membered heteroaryl ring, T, wherein one of J⁵ and J⁶ is absent when T is a 5-membered heteroaryl ring, J⁵ is optionally substituted by R¹⁷ when J⁵ is a carbon atom, J⁶ is optionally substituted by R¹⁸ when J⁶

is a carbon atom, D⁵ is optionally substituted by R¹⁶ when D⁵ is a carbon atom and D⁶ is optionally substituted by R¹⁹ when D⁶ is a carbon atom;

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkanoyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, and cyano;

Q^b is selected from the group consisting of NR²⁰R²¹, hydrido, and C(NR²⁵)NR²³R²⁴, with the proviso that no more than one of R²⁰ and R²¹ is hydroxy and with the further proviso that no more than one of R²³ and R²⁴ is hydroxy;

R²⁰, R²¹, R²³, R²⁴, and R²⁵ are independently selected from the group consisting of hydrido, alkyl, and hydroxy; and

Qs is selected from the group consisting of a bond, CH₂, and CH₂CH₂.

Claim 40 (Currently amended): The compound of claim 39 or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of fluoro, chloro, trifluoromethyl, hydroxy, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 1,2-dihydroxyethyl, amino, aminomethyl, 1-aminoethyl, 2-aminoethyl, methoxy, trifluoromethoxy, N-methylamino, methythio, and trifluoromethylthio;

B is selected from the group consisting of cyclopropyl, cyclobutyl, oxetan-3-yl, azetidin-1-yl, azetidin-2-yl, azetidin-3-yl, thiaetan-3-yl, cyclopentyl, cyclohexyl, norbornyl, 7-oxabicyclo[2.2.1]heptan-2-yl, bicyclo[3.1.0]hexan-6-yl, <u>and</u> cycloheptyl, 2-morpholinyl, 3-morpholinyl, 4-morpholinyl, 1-piperazinyl, 2-piperazinyl, 1-piperidinyl, 2-piperidinyl, 3-pyrrolidinyl, 3-pyrrolidinyl, 2-pyrrolidinyl, 2-pyrrolidinyl, 2-pyrrolidinyl, 2-pyrrolidinyl, 2-pyran-4-one-2-yl, 4H-pyran-4-one-2-yl, 4H-pyran-4-one-3-yl, 2-tetrahydrofuranyl, 3-tetrahydrofuranyl, 2-tetrahydropyranyl, 3-tetrahydropyranyl, 4-tetrahydropyranyl, 2-tetrahydrothienyl, and 3-tetrahydrothienyl, wherein (a) each ring carbon is optionally substituted with R³³, (b) a ring carbon or nitrogen in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹,

(c) a ring carbon or nitrogen in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (d) a ring carbon or nitrogen, if present, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R⁹, is optionally substituted by R¹⁰, and (e) a ring carbon or nitrogen, if present, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹³, is optionally substituted by R¹³;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, methanesulfonamido, amidosulfonyl, N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, amidocarbonyl, N-methylamidocarbonyl, N,N-dimethylamidocarbonyl, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, carboxymethyl, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, methoxyamino, ethoxyamino, acetamido, trifluoroacetamido, aminomethyl, 1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, N-ethylamino, methanesulfonamido, amidosulfonyl, N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, methoxycarbonyl, ethoxycarbonyl, amidocarbonyl, N-methylamidocarbonyl, N,N-dimethylamidocarbonyl, ethoxycarbonyl, amidocarbonyl, N-benzylamidocarbonyl, N-(2-chlorobenzyl)amidocarbonyl, N-(1-phenylethyl)amidocarbonyl, N-(1-methyl-1-phenylethyl)amidocarbonyl, N-(1-methyl-1-phenylethyl)amidocarbonyl, N-

benzylamidosulfonyl, N-(2-chlorobenzyl)amidosulfonyl,

N-ethylamidocarbonyl, N-isopropylamidocarbonyl, N-propylamidocarbonyl, N-isobutylamidocarbonyl, N-(2-butyl)amidocarbonyl,

N-cyclobutylamidocarbonyl, N-cyclopentylamidocarbonyl,

N-cyclohexylamidocarbonyl, fluoro, chloro, bromo, cyano, cyclobutoxy, cyclohexoxy, cyclohexylmethoxy, 4-trifluoromethycyclohexylmethoxy, cyclopentoxy, benzyl, benzyloxy, 4-bromo-3-fluorophenoxy,

- 3-bromobenzyloxy, 4-bromobenzyloxy, 4-bromobenzylamino,
- 5-bromopyrid-2-ylmethylamino, 4-butoxyphenamino, 3-chlorobenzyl,
- 4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-ethylbenzylamino,
- 4-chloro-3-ethylphenylamino, 3-chlorobenzyloxy, 4-chlorobenzyloxy,
- 4-chlorobenzylsulfonyl, 4-chlorophenylamino, 4-chlorophenylsulfonyl,
- 5-chloropyrid-3-yloxy, 2-cyanopyrid-3-yloxy, 2,3-difluorobenzyloxy,
- 2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy,
- 3,5-difluorophenoxy, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,
- 2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,
- 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyloxy,
- 3,5-dimethylbenzyloxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylphenoxy, 4-fluorobenzyloxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy, 4-isopropylbenzyloxy, 3-isopropylphenoxy, 4-isopropylphenoxy,
- 4-isopropyl-3-methylphenoxy, 4-isopropylbenzyloxy, 3-isopropylphenoxy,
- 4-isopropylphenoxy, 4-isopropyl-3-methylphenoxy, phenylamino,
- 1-phenylethoxy, 2-phenylethoxy, 2-phenylethyl, 2-phenylethylamino, phenylsulfonyl,
- 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
- 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy,
- 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
- 2,4-bis-trifluoromethylbenzyloxy, 3-trifluoromethylbenzyl,
- 3,5-bis-trifluoromethylbenzyloxy, 4-trifluoromethylphenoxy,

3-trifluoromethylphenoxy, 3-trifluoromethylthiobenzyloxy, 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3-

pentafluoroethylphenoxy, 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, and

3-trifluoromethylthiophenoxy;

R³³ is selected from the group consisting of hydrido, amidino, guanidino, carboxy, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, methoxyamino, ethoxyamino, acetamido, trifluoroacetamido, N-methylamino, dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, amidosulfonyl, N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, methoxycarbonyl, ethoxycarbonyl, amidocarbonyl, N-methylamidocarbonyl, N,N-dimethylamidocarbonyl, cyano, and Q^b;

A is selected from the group consisting of a bond, NH, N(CH₃), N(OH), CH₂, CH₃CH, CF₃CH, NHC(O), N(CH₃)C(O), C(O)NH, C(O)N(CH₃), CH₂CH₂, CH₂CH₂CH₂, CH₃CHCH₃, and CF₃CHCH₃;

R¹-and X⁰-are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, hydroxyamino, aminomethyl, 1-aminoethyl, methylamino, dimethylamino, cyano, methyl, ethyl, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, methoxy, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, methoxyamino, methylthio, ethylthio, trifluoromethoxy,

1,1,2,2-tetrafluoroethoxy, fluoro, chloro, and bromo;

R2 is Z0-Q:

Z⁰ is selected from the group consisting of a bond, CH₂, CH₂CH₂, O, S, NH, N(CH₃), OCH₂, SCH₂, N(H)CH₂, and N(CH₃)CH₂;

Q is selected from the group consisting of phenyl and 2-thienyl, 3-thienyl, 2-furyl, 3-furyl, 3-pyrrolyl, 3-pyrrolyl, 2-imidazolyl, 4-imidazolyl, 3-pyrazolyl, 4-pyrazolyl, 2-thiazolyl, 3-isoxazolyl, 5-isoxazolyl, 2-pyridyl,

4-pyridyl, 2-pyrazinyl, 2-pyrimidinyl, 4-pyrimidinyl, 5-pyrimidinyl,

3-pyridazinyl, 4-pyridazinyl, and 1,3,5-triazin-2-yl heteroaryl rings, wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment

is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, if present, in the gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to each of the ring atoms optionally substituted by R¹⁰ and R¹², respectively, is optionally substituted by R¹¹;

Y⁰ is selected from the group consisting of:

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, methyl, ethyl, isopropyl, propyl, carboxy, amidino, guanidino, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, aminomethyl, 1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethylthio, methylsulfinyl, ethylsulfinyl, methylsulfonyl,

ethylsulfonyl, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, and cyano; <u>and</u>

Q^b is C(NR²⁵)NR²³R²⁴ or hydrido, with the proviso that no more than one of R²³ and R²⁴ is hydroxy:

R²³, R²⁴, and R²⁵ are independently selected from the group consisting of hydrido, methyl, ethyl, and hydroxy; and

Claim 41 (Currently amended): The compound of claim 40 or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of fluoro, chloro, trifluoromethyl, hydroxy, hydroxymethyl, amino, aminomethyl, methoxy, trifluoromethoxy, and N-methylamino;

B is selected from the group consisting of cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, oxalan-2-yl, 2-(2R)-bicyclo[2.2.1]-heptyl, 1-pyrrolidinyl, 1-piperidinyl, oxetan-3-yl, azetidin-1-yl, azetidin-2-yl, azetidin-3-yl, 7-oxabicyclo[2.2.1]heptan-2-yl, bicyclo[3.1.0]hexan-6-yl, 2-morpholinyl, 3-morpholinyl, 4-morpholinyl, 1-piperazinyl, 2-piperazinyl, 1-piperidinyl, 2-piperidinyl, 3-piperidinyl, 4-piperidinyl, 1-pyrrolidinyl, 2-pyrrolidinyl, 3-pyrrolidinyl, 2-dioxanyl, 4H-2-pyranyl, 4H-3-pyranyl, 4H-4-pyranyl, 4H-pyran-4-one-2-yl, 4H-pyran-4-one-3-yl, 2-tetrahydrofuranyl, 3-tetrahydrofuranyl, 3-tetrahydrofuranyl, 3-tetrahydrofuranyl, 4-tetrahydrofuranyl, 2-tetrahydrothienyl;

A is selected from the group consisting of a bond, CH₂, NHC(O), CH₂CH₂, and CH₂CH₂;

R¹ and X° are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, hydroxyamino, aminomethyl, methylamino, cyano, methyl, trifluoromethyl, methoxy, hydroxymethyl, methoxyamino, methylthio, trifluoromethoxy, fluoro, and chloro;

R2 is Z0-Q;

Z⁰ is selected from the group consisting of a bond, CH₂, O, S, NH, N(CH₃), OCH₃, and SCH₃;

Q is selected from the group consisting of

- 3-amidocarbonyl-5-aminophenyl, 3-amino-5-(N-benzylamidocarbonyl)phenyl, 3-
- amino-5-benzylphenyl, 3-amino-5-(2-phenylethyl)phenyl,
- 3-amino-5-benzylaminophenyl, 3-amino-5-(2-phenylethylamino)phenyl,
- 3-amino-5-benzyloxyphenyl, 3-amino-5-(2-phenylethoxy)phenyl,
- 3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-benzylamidosulfonyl)phenyl,
- 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,
- 3-amino-5-(N-ethylamidocarbonyl)phenyl,
- 3-amino-5-(N-isopropylamidocarbonyl)phenyl,
- 3-amino-5-(N-propylamidocarbonyl)phenyl,
- 3-amino-5-(N-isobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 5-amino-2-fluorophenyl,
- 3-amino-5-hydroxymethylphenyl, 5-amino-3-methoxycarbonylphenyl,
- 3-amidinophenyl, 3-amino-2-methylphenyl, 5-amino-2-methylthiophenyl,
- 3-aminophenyl, 3-amino-5-(4-trifluoromethylbenzylamino)phenyl,
- 3-amino-5-(4-trifluoromethylbenzyloxy)phenyl, 3-carboxyphenyl,
- 3-carboxy-5-hydroxyphenyl, 3-amino-5-carboxyphenyl, 3-chlorophenyl,
- 2-chlorophenyl, 3-cyanophenyl, 3,5-diaminophenyl, 3-dimethylaminophenyl,
- 2-fluorophenyl, 3-fluorophenyl, 2-hydroxyphenyl, 3-hydroxyphenyl,
- 3-methanesulfonylaminophenyl, 2-methoxyphenyl, 3-methoxyphenyl,
- 3-methoxyaminophenyl, 3-methoxycarbonylphenyl, 2-methylaminophenyl,

3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, phenyl, 3-trifluoroacetamidophenyl, 3-trifluoromethylphenyl, <u>and</u>

2-trifluoromethylphenyl, 5-amino-2-thienyl, 5-amino-3-thienyl,

3-bromo-2-thienyl, 3-pyridyl, 4-pyridyl, 2-thienyl, and 3-thienyl;

Y⁰-is selected from the group consisting of:

$$\mathbb{R}^{16}$$
 \mathbb{R}^{19} \mathbb{R}^{17} \mathbb{R}^{16} \mathbb{R}

R¹⁶ and R¹⁹ are independently selected from the group consisting of hydrido, amidino, amino, aminomethyl, methoxy, methylamino, hydroxy, hydroxymethyl, fluoro, chloro, and cyano;

R¹⁷ and R¹⁸ are independently selected from the group consisting of hydrido, fluoro, chloro, hydroxy, hydroxymethyl, amino, carboxy, and cyano; <u>and</u>

Q^b-is-C(NR²⁵)NR²⁵R²⁴-or-hydrido;

 R^{23} , R^{24} , and R^{25} are independently hydrido or methyl; and Q^{5} is CH_{2} .

Claim 42 (Currently amended): The compound of claim 39, or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of halo, haloalkyl, hydroxy, hydroxyalkyl, amino, and aminoalkyl;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, guanidino, alkylamino, alkylthio, alkoxy, alkylsulfinyl, alkylsulfonyl, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, carboxy, carboxamido, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkyl, alkoxy, alkoxyamino, hydroxy, amino, alkylamino, alkylsulfonamido, amidosulfonyl, hydroxyalkyl, aminoalkyl, halo, haloalkyl, carboalkoxy, carboxy, carboxyamido, carboxyalkyl, and cyano;

R³³-and R³⁴-are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkoxy, hydroxy, amino, alkoxyamino, alkylamino, alkylthio, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, carboalkoxy, carboxy, carboxamido, and cyano;

A is a bond or $(CH(R^{15}))_{pa}$ - $(W^7)_{rr}$ wherein rr is 0 or 1, pa is an integer selected from 0 through 3, and W^7 is $N(R^7)$;

R⁷ is hydrido or alkyl;

R¹⁵ is selected from the group consisting of hydrido, halo, alkyl, and haloalkyl; R¹ and X⁰ are independently selected from the group consisting of hydrido, hydroxy, hydroxyamino, amidino, amino, cyano, hydroxyalkyl, alkoxy, alkyl, alkylamino, aminoalkyl, alkylthio, alkoxyamino, haloalkyl, haloalkoxy, and halo;

R² is Z⁰-Q;

----Z⁰ is a bond;

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkanoyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, and cyano; and

Q^b is selected from the group consisting of NR²⁰R²¹, hydrido, and C(NR²⁵)NR²³R²⁴:

 R^{20} , R^{21} , R^{23} , R^{24} , and R^{25} are independently hydrido or alkyl; and Q^{5} is CH_{2} .

Claim 43 (Currently amended): The compound of claim 42 or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of fluoro, chloro, trifluoromethyl, hydroxy, hydroxymethyl, amino, and aminomethyl;

B is selected from the group consisting of cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, oxalan-2-yl, 2-(2R)-bicyclo[2.2.1]-heptyl, oxetan-3-yl, azetidin-1-yl, azetidin-2-yl, azetidin-3-yl, bicyclo[3.1.0]hexan-6-yl, 2-morpholinyl, 3-morpholinyl, 1-piperazinyl, 2-piperazinyl, 1-piperidinyl, 2-piperidinyl, 2-piperidinyl, 2-piperidinyl, 3-piperidinyl, 4-piperidinyl, 1-pyrrolidinyl, 2-pyrrolidinyl, 2-dioxanyl, 2-tetrahydrofuranyl, 3-tetrahydrofuranyl, 3-tetrahydrofuranyl, 2-tetrahydropyranyl, 3-tetrahydropyranyl, 4-tetrahydropyranyl, 2-tetrahydrothienyl, and 3-tetrahydrothienyl, wherein (a) each ring carbon is optionally substituted with R³³, (b) a ring carbon or nitrogen in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R³, (c) a ring carbon or nitrogen in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (d) a ring carbon or nitrogen, if present, in a first beta position relative to the ring atom optionally substituted by R³, is optionally substituted by R¹⁶, and (e) a ring carbon or nitrogen,

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, methyl, ethyl, methoxy, ethoxy, hydroxy, amino, N-methylamino, N,N-dimethylamino, methylthio, trifluoromethyl, pentafluoroethyl,

if present, in a second beta position relative to the ring carbon at the point of

attachment and in an alpha position relative to the ring atom optionally substituted

2,2,2-trifluoroethyl, fluoro, chloro, bromo, amidosulfonyl,

by R¹³, is optionally substituted by R¹²:

N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl,

1-hydroxyethyl, amidocarbonyl, N-methylamidocarbonyl, carboxy, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, amidino, amidocarbonyl, N-methylamidocarbonyl,

N-benzylamidocarbonyl, N-(2-chlorobenzyl)amidocarbonyl,

N-(3-fluorobenzyl)amidocarbonyl, N-(2-trifluoromethylbenzyl)amidocarbonyl, N-(1-phenylethyl)amidocarbonyl, N-(1-methyl-1-phenylethyl)amidocarbonyl, N-benzylamidosulfonyl, N-(2-chlorobenzyl)amidosulfonyl,

N-ethylamidocarbonyl, N-isopropylamidocarbonyl, N-propylamidocarbonyl, N-isobutylamidocarbonyl, N-(2-butyl)amidocarbonyl,

N-cyclobutylamidocarbonyl, N-cyclopentylamidocarbonyl,

N-cyclohexylamidocarbonyl, guanidino, methyl, ethyl, methoxy, ethoxy, hydroxy, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, carboxy, carboxymethyl, amino, acetamido, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, trifluoroacetamido, aminomethyl, N-methylamino, dimethylamino, methoxyamino, amidosulfonyl, N-methylamidosulfonyl, methanesulfonamido, methoxycarbonyl, fluoro, chloro, bromo, and cyano;

R³⁵-is selected from the group consisting of hydrido, amidino, guanidino, methyl, ethyl, methoxy, ethoxy, hydroxy, carboxy, amino,
N-methylamino, dimethylamino, methoxyamino, methylthio, ethylthio,
trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, fluoro, chloro, bromo,
amidosulfonyl, N-methylamidosulfonyl, hydroxymethyl, amidocarbonyl, cyano, and
Q^b:

A is selected from the group consisting of a bond, NH, N(CH₃), CH₂, CH₃CH, CH₂CH₂, and CH₂CH₂;

X° is selected from the group consisting of hydrido, hydroxy, amino, amidino, aminomethyl, cyano, methyl, trifluoromethyl, hydroxymethyl, chloro, and fluoro;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, methylamino, cyano, methyl, trifluoromethyl, methoxy, methylthio, trifluoromethoxy, fluoro, and chloro;

R²-is selected from the group consisting of phenyl and 2-thionyl, 2-furyl, 2-pyrrolyl, 2-imidazolyl, 2-thiazolyl, 3-isoxazolyl, 2-pyridyl, and 3-pyridyl heteroaryl rings, wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon

at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring atom optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, if present, in the gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to each of the ring atoms optionally substituted by R¹⁰-and R¹², respectively, is optionally substituted by R¹¹;

Y⁶ is selected from the group consisting of:

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, methyl, ethyl, amidino, guanidino, methoxy, hydroxy, amino, aminomethyl, 1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, methylthio, ethylthio, trifluoromethylthio, methylsulfinyl, methylsulfonyl, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, trifluoromethoxy, fluoro, chloro, hydroxymethyl, carboxy, and cyano; <u>and</u>

Q^b-is-NR²⁰R²¹-or-C(NR²⁵)NR²³R²⁴;

 R^{20} , R^{21} , R^{23} , R^{24} , and R^{25} are independently selected from the group consisting of hydrido, methyl, and ethyl; and

Claim 44 (Currently amended): The compound of claim 43 or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of fluoro, trifluoromethyl, hydroxy, hydroxymethyl, amino, and aminomethyl;

B is selected from the group consisting of cyclopropyl, cyclobutyl, cyclopentyl, cy

A is selected from the group consisting of a bond, CH₂, CH₂CH₂ and CH₂CH₂;

X° is selected from the group consisting of hydrido, hydroxy, amino, amidino, aminomethyl, cyano, methyl, trifluoromethyl, hydroxymethyl, and fluoro;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, cyano, methyl, trifluoromethyl, and fluoro;

R² is selected from the group consisting of

- 3-amidocarbonyl-5-aminophenyl, 3-amidocarbonyl-5-aminophenyl,
- 3-amino-5-(N-benzylamidocarbonyl)phenyl,
- 3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-benzylamidosulfonyl)phenyl,
- 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,
- 3-amino-5-(N-ethylamidocarbonyl)phenyl,
- 3-amino-5-(N-isopropylamidocarbonyl)phenyl,
- 3-amino-5-(N-propylamidocarbonyl)phenyl,
- 3-amino-5-(N-isobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 5-amino-2-fluorophenyl,
- 3-amino-5-hydroxymethylphenyl, 5-amino-3-methoxycarbonylphenyl,
- 3-amidinophenyl, 3-amino-2-methylphenyl, 5-amino-2-methylthiophenyl,
- 3-aminophenyl, 3-carboxyphenyl, 3-carboxy-5-aminophenyl,
- 3-carboxy-5-hydroxyphenyl, 3-carboxymethyl-5-aminophenyl,
- 3-carboxymethyl-5-hydroxyphenyl, 3-carboxymethylphenyl, 3-chlorophenyl, 2-
- chlorophenyl, 3-cyanophenyl, 3,5-diaminophenyl, 3-dimethylaminophenyl,
- 2-fluorophenyl, 3-fluorophenyl, 2,5-difluorophenyl, 2-hydroxyphenyl,
- 3-hydroxyphenyl, 3-methanesulfonylaminophenyl, 2-methoxyphenyl,
- 3-methoxyphenyl, 3-methoxyaminophenyl, 3-methoxycarbonylphenyl,
- 2-methylaminophenyl, 3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, 4-
- methylphenyl, phenyl, 3-trifluoroacetamidophenyl, 3-trifluoromethylphenyl, and 2-
- trifluoromethylphenyl, 5-amino-2-thienyl, 5-amino-3-thienyl,
- 3-bromo-2-thienyl, 3-pyridyl, 4-pyridyl, 2-thienyl, and 3-thienyl;
 - Y⁰ is selected from the group consisting of:

R¹⁶ and R¹⁹ are independently selected from the group consisting of hydrido, amidino, amino, aminomethyl, methoxy, methylamino, hydroxy, hydroxymethyl, fluoro, chloro, and cyano;

R¹⁷ and R¹⁸ are independently selected from the group consisting of hydrido, fluoro, chloro, hydroxy, hydroxymethyl, amino, carboxy, and cyano; <u>and</u>

Q^t-is-C(NR²⁵)NR²⁵R²⁴;

R²³, R²⁴, and R²⁵ are independently hydrido or methyl; and Q⁵ is CH₂.

Claim 45 (Currently amended): The compound of claim 44 or a pharmaceutically acceptable salt thereof, wherein;

J is selected from the group consisting of fluoro, hydroxy, hydroxymethyl, and amino;

B is selected from the group consisting of cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl, oxalan-2-yl, 2-(2R)-bicyclo[2.2.1]-heptyl, oxetan-3-yl, azetidin-1-yl, azetidin-2-yl, azetidin-3-yl, and 1-piperidinyl;

A is selected from the group consisting of a bond, CH₂, CH₂CH₂ and CH₂CH₂;

X^o is selected from the group consisting of hydrido, hydroxy, amino, amidino, aminomethyl, cyano, methyl, trifluoromethyl, hydroxymethyl, and fluoro;

R[†] is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, cyano, methyl, trifluoromethyl, and fluoro;

R² is selected from the group consisting of

3-amidocarbonyl-5-aminophenyl, 3-amino-5-(N-benzylamidocarbonyl)phenyl, 3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-benzylamidosulfonyl)phenyl,

3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,

3-amino-5-(N-ethylamidocarbonyl)phenyl,

3-amino-5-(N-isopropylamidocarbonyl)phenyl,

3-amino-5-(N-propylamidocarbonyl)phenyl,

3-amino-5-(N-isobutylamidocarbonyl)phenyl,

3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,

3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,

3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,

3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 3-aminophenyl,

3-carboxy-5-aminophenyl, 3-chlorophenyl, 3,5-diaminophenyl,

3-dimethylaminophenyl, 3-hydroxyphenyl, 3-methanesulfonylaminophenyl,

3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, phenyl, and

3-trifluoroacetamidophenyl, 3-bromo-2-thienyl, 2-thienyl, and 3-thienyl; and

Y⁰ is selected from the group consisting of 5-amidino-2-thienylmethyl, 4-amidinobenzyl, 2-fluoro-4-amidinobenzyl, and 3-fluoro-4-amdinobenzyl.

Claim 46 (Currently amended): The compound of claim 39, or a pharmaceutically acceptable salt thereof, wherein:

R² is 3-aminophenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-aminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-aminophenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R²-is 5-amino-2-thienyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹-is chloro;

R² is 3-aminophenyl, B is cyclopropyl, A is CH₂, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-aminophenyl, B is 2-(2R)-bicyclo[2.2.1]-heptyl, A is a bond, Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclopentyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclohexyl, A is CH_2CH_2 , Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is hydrido;

 R^2 is 3-aminophenyl, B is oxalan-2-yl, A is CH_2 , Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-aminophenyl, B is 1-piperidinyl, A is CH₂CH₂, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-aminophenyl, B is 1-pyrrolidinyl, A is CH₂CH₂CH₂, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-carbomethoxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3-amino-5-carboxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 2-amino-6-carboxy-4-pyridyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3-amino-5-carbomethoxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-carboxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3,5-diaminophenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is hydrido;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3,5-diaminophenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-carboxy-5-aminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

 R^2 is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopentyl, A is a bond, Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is hydrido;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is hydroxy, and R^1 is hydrido;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclobutyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, J is hydroxy, and R^1 is chloro;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is

cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is hydroxy, and R¹ is chloro;

 R^2 is 3-aminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

R² is 3-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is fluoro, and R¹ is chloro;

R² is 3-aminophenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

 R^2 is 5-amino-2-thienyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclopropyl, A is CH_2 , Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

R²-is 3-aminophenyl, B is 2-(2R)-bicyclo[2.2.1]-heptyl, A is a bond, Y⁰-is 4-amidinobenzyl, J is fluoro, and R¹-is chloro;

 R^2 is 3-aminophenyl, B is cyclopentyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-aminophenyl, B is cyclohexyl, A is CH_2CH_2 , Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

 R^2 is 3-aminophenyl, B is oxalan-2-yl, A is CH_2 , Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

R² is 3-aminophenyl, B is 1-piperidinyl, A is CH₂CH₂, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

R² is 3-aminophenyl, B is 1-pyrrolidinyl, A is CH₂CH₂CH₂, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

 R^2 is 3-amino-5-carbomethoxyphenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

R² is 3-amino-5-carboxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is hydrido;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

 R^2 is 2-amino-6-carboxy-4-pyridyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

R² is 3-amino-5-carbomethoxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

R² is 3-amino-5-carboxyphenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

R² is 3,5-diaminophenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is hydrido;

 R^2 is 3,5-diaminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3,5-diaminophenyl, B is cyclopentyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

 R^2 is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

 R^2 is 3-carboxy-5-aminophenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, J is fluoro, and R^1 is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is hydrido;

 R^2 is 3-carboxy-5-aminophenyl, B is cyclobutyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, J is fluoro, and R^1 is chloro;

R² is 3-carboxy-5-aminophenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

 R^2 is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopropyl, A is a bond, Y^0 is 4-amidinobenzyl, J is fluoro, and R^1 is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;

- R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is hydrido;
- R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is hydrido;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-3-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl, B is cyclopentyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is chloro;
- R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is cyclopropyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, J is fluoro, and R¹ is chloro; or

PHA 4163.5 (3455/1) PATENT

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)-phenyl, B is cyclobutyl, A is a bond, Y⁰ is 4-amidinobenzyl, J is fluoro, and R¹ is hydrido.

Claim 47 (Previously presented): A composition for inhibiting thrombotic conditions in blood comprising a compound of claim 39 and a pharmaceutically acceptable carrier.

Claim 48 (Previously presented): A composition for inhibiting thrombotic conditions in blood comprising a compound of claim 39 and a pharmaceutically acceptable carrier.

Claim 49 (Previously presented): A method for inhibiting thrombotic conditions in blood comprising adding to blood a therapeutically effective amount of a composition of claim 39.

Claim 50 (Previously presented): A method for inhibiting formation of blood platelet aggregates in blood comprising adding to blood a therapeutically effective amount of a composition of claim 39.

Claim 51 (Previously presented): A method for inhibiting thrombus formation in blood comprising adding to blood a therapeutically effective amount of a composition of claim 39.

Claim 52 (Previously presented): A method for treating or preventing venuous thromboembolism and pulmonary embolism in a mammal comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

Claim 53 (Previously presented): A method for treating or preventing deep vein thrombosis in a mammal comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

PHA 4163.5 (3455/1) PATENT

Claim 54 (Previously presented): A method for treating or preventing cardiogenic thromboembolism in a mammal comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

Claim 55 (Previously presented): A method for treating or preventing thromboembolic stroke in humans and other mammals comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

Claim 56 (Previously presented): A method for treating or preventing thrombosis associated with cancer and cancer chemotherapy in humans and other mammals comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

Claim 57 (Previously presented): A method for treating or preventing unstable angina in humans and other mammals comprising administering to the mammal a therapeutically effective amount of a composition of claim 39.

Claim 58 (Previously presented): A method for inhibiting thrombus formation in blood comprising adding to blood a therapeutically effective amount of a compound of claim 39 with a therapeutically effective amount of fibrinogen receptor antagonist.

Claim 59 (Cancelled)

Claim 60 (Cancelled)

Claim 61 (Currently amended): The compound of [[claim 60]] claim 39 wherein A is a bond, X^0 is hydrido and R^1 is hydrido or halo.

Claim 62 (Previously presented): The compound of claim 61 wherein J is hydroxy or fluoro.

PHA 4163.5 (3455/1) PATENT

Claim 63 (Previously presented): The compound of claim 62 wherein R² is

and R^{10} and R^{12} are as defined in claim 39.

Claim 64 (Cancelled)